

# Augmenting a Source Code Editor with Method Nullability Data

Seminar Software Composition, S2017

Lukas Zbinden

# Intro

## method nullability

#null-checks / #invocations

E.g. `CloseableHttpClient.execute(uriRequest)`:

#null-checks: 85

#invocations: 294

nullability: 0.29

## method nullability plugin


Null checks: Eclipse null analysis + external annotations (EEA)

Documentation: Javadoc Hover

**DEMO**

# Solution

Ex. CloseableHttpClient.execute(..)



```
*CloseableHttpClient.eea x
```

```
1 class CloseableHttpClient  
2 execute  
3 (LHttpRequest;)L...CloseableHttpResponse;  
4 (LHttpRequest;)L0...CloseableHttpResponse;  
_
```

- @Nullable CloseableHttpResponse org.apache.http.impl... (HttpRequest request) throws IOException, ClientPr

Executes HTTP request using the default context.

**Specified by:** [execute\(...\)](#) in [HttpClient](#)

**Parameters:**  
**request** the request to execute

**Returns:**  
the response to the request. This is always a final response code. Whether redirects or authentication challenges will be implemented depends on the implementation and configuration of this client.

**29%** check the returned value (85 out of 294 invocations)

+ Eclipse null analysis

**DEMO**

Initial attempt

rewriting of AST

use of markers


problems: invasive, source changes, limited access to compiler bindings

vs. solution:

non-invasive, no source changes, compiler integrated

# Recap

## CloseableHttpClient.execute(..)



```
*CloseableHttpClient.eea x
```

```
1 class CloseableHttpClient  
2 execute  
3 (LHttpRequest;)L...CloseableHttpResponse;  
4 (LHttpRequest;)L0...CloseableHttpResponse;  
_
```

• @Nullable CloseableHttpResponse org.apache.http.impl.  
(HttpRequest request) throws IOException, ClientPr

Executes HTTP request using the default context.

Specified by: [execute\(...\)](#) in [HttpClient](#)

Parameters:  
    **request** the request to execute

Returns:  
    the response to the request. This is always a final response  
    code. Whether redirects or authentication challenges will  
    implementation and configuration of this client.

29% check the returned value (85 out of 294 invocations)

+ Eclipse null analysis

<https://github.com/maenu/method-nullability-plugin>